From:	Michelle Wills-Hill
To:	Roberts, Yvette
Subject:	RE: Mercury Monometer Waste
Date:	Thursday, April 11, 2019 11:25:46 AM
Attachments:	2019_04 service request form.xlsx

Yvette,

Please see the attached request for services form for the mercury manometer. Please advise if you have any additional questions. I am also requesting to be notified when the pickup will be scheduled.

Thanks again for your assistance.

Michelle Wills-Hill, REM, REPA,
Environmental Specialist
COLORADO SPRINGS UTILITIES
Environmental Services Division | Regulatory Services
121 S. Tejon Street, 4th Floor, Mail Code 0940, Colorado Springs, CO, 80947
Phone: 719.668.8683 | Cell: 719.424.0392 |Email: mwillshill@csu.org

Colorado Springs Utilities
It's how we're all connected

From: Roberts, Yvette [mailto:yvette.roberts@veolia.com]
Sent: Friday, April 05, 2019 1:12 PM
To: Michelle Wills-Hill <mwillshill@csu.org>
Subject: Re: Mercury Monometer Waste

[External Email - Be careful! DO NOT open attachments or click links from unknown senders or unexpected email.]
Let me see if it changes this, but I think we're ok.

Regards,

Yvette Roberts
Customer Service Administrator
Industrial Business
VEOLIA NORTH AMERICA
tel

+1 602 233-6891
fax

+1 602 415 3030 / Toll Free 800/368-9095
www.veolianorthamerica.com
For prepaid recycling of fluorescent lamps, ballast, batteries and more,

visit www.prepaidrecycling.com
For packaging instructions and guidance, click to Download Packaging Guidance
Receive Veolia's Environmental Buzz E-Newsletter, click to Subscribe

"Recycling..making our world a better place"

On Fri, Apr 5, 2019 at 11:56 AM Michelle Wills-Hill <mwillshill@csu.org> wrote:

> I'm sorry, I should have mentioned that the drum contains vermiculite. Class 8 Label and Haz Waste Label are also on the drum.
>
> ---
>
> **From:** Roberts, Yvette [mailto:yvette.roberts@veolia.com]
> **Sent:** Friday, April 05, 2019 12:37 PM
> **To:** Michelle Wills-Hill <mwillshill@csu.org>
> **Subject:** Re: Mercury Monometer Waste
>
> **[External Email - Be careful! DO NOT open attachments or click links from unknown senders or unexpected email.]**
> This is fine but recommended to put in a drum liner so it does not leak and also packaging/material when placing in drum so it does not move or break in transit. Note on drum label fragile also and material type inside.
>
> Thank you.
> Regards,
>
> Yvette Roberts
> Customer Service Administrator
> *Industrial Business*
> *VEOLIA NORTH AMERICA*
> tel
>
> +1 602 233-6891
> fax
>
> +1 602 415 3030 / Toll Free 800/368-9095
> **www.veolianorthamerica.com**
> **For prepaid recycling of fluorescent lamps, ballast, batteries and more,**
> **visit www.prepaidrecycling.com**
> **For packaging instructions and guidance, click to Download Packaging Guidance**
> **Receive Veolia's Environmental Buzz E-Newsletter, click to Subscribe**

"Recycling..making our world a better place"

On Fri, Apr 5, 2019 at 10:55 AM Michelle Wills-Hill <mwillshill@csu.org> wrote:

> Yvette,

It is my understanding that the manometer is in a sealed 55-gallon drum.

Thanks,

Michelle Wills-Hill, REM, REPA,
Environmental Specialist
COLORADO SPRINGS UTILITIES
Environmental Services Division | Regulatory Services
121 S. Tejon Street, 4th Floor, Mail Code 0940, Colorado Springs, CO, 80947
Phone: 719.668.8683 | Cell: 719.424.0392 |Email: mwillshill@csu.org

Colorado Springs Utilities
It's how we're all connected

From: Roberts, Yvette [mailto:yvette.roberts@veolia.com]
Sent: Friday, April 05, 2019 9:20 AM
To: Michelle Wills-Hill <mwillshill@csu.org>
Cc: Christopher Genuardi <cgenuardi@csu.org>; Perkins, Kellye <kellye.perkins@veolia.com>; Erin Zeller <erin.zeller@veolia.com>
Subject: Re: Mercury Monometer Waste

[External Email - Be careful! DO NOT open attachments or click links from unknown senders or unexpected email.]
Hi Michelle, Good Morning.

Does the manometer fit completely in the 55 gallon drum and is it enclosed?

Thank you.

Regards,

Yvette Roberts
Customer Service Administrator
Industrial Business
VEOLIA NORTH AMERICA
tel

+1 602 233-6891
fax

+1 602 415 3030 / Toll Free 800/368-9095
www.veolianorthamerica.com
For prepaid recycling of fluorescent lamps, ballast, batteries and more, visit www.prepaidrecycling.com
For packaging instructions and guidance, click to Download Packaging Guidance

Receive Veolia's Environmental Buzz E-Newsletter, click to Subscribe

"Recycling..making our world a better place"

On Thu, Apr 4, 2019 at 4:09 PM Michelle Wills-Hill <mwillshill@csu.org> wrote:

> Good evening.
>
> Our Ray Nixon Power Plant Facility has a mercury manometer that we need to have managed for disposal. I just found the WIP 937926 which was used the last time. The manometer has been placed into a 55-gallon drum packed with vermiculite. Would you please advise on if there are any additional requirements for packaging that I need to follow?
>
> Thanks,
>
> ***Michelle Wills-Hill, REM, REPA,***
> Environmental Specialist
> **COLORADO SPRINGS UTILITIES**
> **Environmental Services Division | Regulatory Services**
> 121 S. Tejon Street, 4th Floor, Mail Code 0940, Colorado Springs, CO, 80947
> Phone: 719.668.8683 | Cell: 719.424.0392 |Email: mwillshill@csu.org
>
> Colorado Springs Utilities
> It's how we're all connected
>
> CONFIDENTIALITY NOTICE - This email transmission, and any documents, files or previous email messages attached to it, may contain information that is legally privileged or otherwise confidential to include customer and business information. If you are not the intended recipient, or an authorized person for the intended recipient, you are hereby notified that any disclosure, copying or distribution of this information, or any action taken in reliance on the information contained within this email, is strictly prohibited. If you have received this email message in error, please notify the sender and then delete the message (and any attachments) from your computer and/or network. Thank you.

CONFIDENTIALITY NOTICE - This email transmission, and any documents, files or previous email messages attached to it, may contain information that is legally privileged or otherwise confidential to include customer and business information. If you are not the intended recipient, or an authorized person for the intended recipient, you are hereby notified that any disclosure, copying or distribution of this information, or any action taken in reliance on the information contained within this email, is strictly prohibited. If you have received this email message in error, please notify the sender and then delete the message (and any attachments) from your computer and/or network. Thank you.

CONFIDENTIALITY NOTICE - This email transmission, and any documents, files or previous email messages attached to it, may contain information that is legally privileged or otherwise confidential to include customer and business information. If you are not the intended recipient, or an authorized person for the intended recipient, you are hereby notified that any disclosure, copying or distribution of this information, or any action taken in reliance on the information contained within this email, is strictly prohibited. If you have

> received this email message in error, please notify the sender and then delete the message (and any attachments) from your computer and/or network. Thank you.

CONFIDENTIALITY NOTICE - This email transmission, and any documents, files or previous email messages attached to it, may contain information that is legally privileged or otherwise confidential to include customer and business information. If you are not the intended recipient, or an authorized person for the intended recipient, you are hereby notified that any disclosure, copying or distribution of this information, or any action taken in reliance on the information contained within this email, is strictly prohibited. If you have received this email message in error, please notify the sender and then delete the message (and any attachments) from your computer and/or network. Thank you.